Conforms: GHS (rev 9) (2021) HCA 44348:2021 - South Africa

Date of issue/ Date of revision : 02.04.2024 Date of previous issue : 16.06.2023 Version

: 4.1



# SAFETY DATA SHEET

YaraMila Lunar

# **SECTION 1: Identification of the substance/mixture and of** the company/undertaking

Product identifier Product type Product code <u>Uses</u>	:	YaraMila Lunar Solid (granulates) PKEXTG
Area of application Material uses	:	Professional applications Fertilizers.
<u>Supplier</u> Supplier's details	:	Yara Africa Fertilizers (Pty) Ltd
<u>Address</u> Street	:	The Pivot at Montecasino, 2nd floor, Block C No 1 Montecasino Boulevard, Fourways
Postal code	:	2191
City	1	Johannesburg
Country	÷.,	South Africa
P.O. Box Address		
P.O. Box		PBX10/1077
Postal code	:	2086
City	1	Johannesburg
Country	1	South Africa
Telephone number		+27(0)11011 9230
Fax no.	÷.	+27(0)11388 4459
e-mail address of person	÷	infosa@yara.co.za
responsible for this SDS		
Emergency telephone number	1	+27 21 300 2732 (24/7)
National advisory body/Poison (	Cent	<u>er</u>
Name	1	Poison Information Centre
Telephone number	1	+27 21 938-6084 / +27 21 931-6131

SECTION 2: Hazard	ls io	dentific	ation	
Classification of the substance or mixture.	:	SERIOUS	EYE DAMAGE/ EYE IRRITATION - Category 2A	
GHS label elements Hazard pictograms	:	(!)	,	
Signal word	:	Warning		
Hazard statements	:	H319	Causes serious eye irritation.	
Precautionary statements				
Prevention	:	P280-a P264-a	Wear eye protection. Wash hands thoroughly after handling.	
Response	:	P305 P351 P338 P337 P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.	
Other hazards which do not result in classification	:	None known.		
Additional information	:	Product forms slippery surface when combined with water.		

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
potassium nitrate	>= 15 - <= 20	7757-79-1
ammonium chloride	>= 10 - <= 15	12125-02-9
ammonium nitrate	>= 7 - <= 10	6484-52-2
Calcium sulphate	>= 2 - <= 2,5	10101-41-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

Description of necessary first aid measures

Eye contact	<ul> <li>Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention.</li> </ul>
Inhalation	<ul> <li>If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Skin contact	<ul> <li>Wash with soap and water. Get medical attention if irritation develops.</li> </ul>
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

#### Most important symptoms/effects, acute and delayed

Eye contact	: Causes serious eye irritation.
Inhalation	: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Irritating to mouth, throat and stomach.
Over-exposure signs/s	<u>ymptoms</u>
Eye contact	<ul> <li>Adverse symptoms may include the following: pain or irritation watering, redness</li> </ul>
Inhalation	: No specific data.
Skin contact	No specific data.
	1

# Notes to physician:Treat symptomatically. Contact poison treatment specialist<br/>immediately if large quantities have been ingested or inhaled.<br/>In case of inhalation of decomposition products in a fire,<br/>symptoms may be delayed. The exposed person may need to<br/>be kept under medical surveillance for 48 hours.Specific treatments<br/>Protection of first-aiders:No specific treatment.In case of inhalation of decomposition products in a fire,<br/>symptoms may be delayed. The exposed person may need to<br/>be kept under medical surveillance for 48 hours.Specific treatments<br/>Protection of first-aiders:No action shall be taken involving any personal risk or without<br/>suitable training.

See toxicological information (Section 11)

# **SECTION 5: Firefighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Hazardous thermal decomposition products	:	Use flooding quantities of water for extinction. Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand. The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia. Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid
Date of issue : 02.04.2024		Page:3/14

breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed. Special protective actions for ŝ, Promptly isolate the scene by removing all persons from the fire-fighters vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Special protective equipment Fire-fighters should wear appropriate protective equipment 2 for fire-fighters and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Remark Non-explosive. ŝ,

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contai	nme	ent and cleaning up
Small spill	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
		alopoodi.

# Section 7. Handling and storage

#### Precautions for safe handling

Not for human or animal consumption.

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.Keep container tightly closed and sealed until ready for use.Containers that have been opened must be carefully resealed and kept upright to prevent leakage.Do not store in unlabeled containers.Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

# Section 8. Exposure controls/personal protection

#### Control parameters

#### **Occupational exposure limits**

Ingredient name	Exposure limits
ammonium chloride	DOL OEL (2022-09-29).
	STEL 20 mg/m3 Form: Fume
	TWA 10 mg/m3 Form: Fume
Calcium sulphate (calcium	DOL OEL (2022-09-29).
sulphate including plaster of Paris and gypsum)	TWA 10 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	<ul> <li>Good general ventilation should be sufficient to control worker exposure to airborne contaminants.</li> <li>Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.</li> </ul>
Individual protection measures	
Hygiene measures	: A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
Eye/face protection	: Safety eyewear complying with an approved standard should
Date of issue : 02.04.2024	Page:5/14

		be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. <b>Recommended:</b> Tightly-fitting goggles, Europe:, CEN: EN166,
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection.
Personal protective equipment (Pictograms)	:	

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Ap	pearar	nce

Physical state Color Odor pH	:	Solid [granulates] White., Odorless. 4,5 - 6,5 [Conc. (% w/w): 100 g/l ]
Melting point/freezing point	:	145 - 185 °C (293 - 365 °F)
Boiling point, initial boiling point, and boiling range	:	Not applicable.
Flash point	:	Not applicable.
Flammability Lower and upper explosion limit/flammability limit	:	Non-flammable. Lower: Not applicable. Upper: Not applicable.
Vapor pressure Relative vapor density	:	Not applicable. Not applicable.
Bulk density	:	950 - 1.250 kg/m3
Date of issue : 02.04.2024		

Solubility in water	:	> 75 g/l
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature Decomposition temperature	:	Not applicable. Not applicable.
Viscosity	:	Kinematic: Not applicable.
Explosive properties Oxidizing properties	:	Non-explosive. Non-oxidizer. UN Manual of Tests and Criteria, Section 39.
Particle characteristics		
Median particle size	:	3 - 3,6 mm

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid contamination by any source including metals, dust and organic materials.
Incompatible materials	:	alkalis, combustible materials, reducing materials, organic materials, Acids
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Method	Species	Result	Exposure
potassium nitrate				
	LD50 Oral	Rat	2.000 mg/kg	Not applicable.
	LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.
ammonium chloride		·	<u> </u>	
	LD50 Oral	Rat	1.410 mg/kg	Not applicable.
	LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.
ammonium nitrate	•			· · · ·
	OECD 401	Rat	2.950 mg/kg	Not applicable.
	LD50 Oral			

	OECD 402 LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.
Calcium sulphate				
	LD50 Oral	Rat	> 5.000 mg/kg	Not applicable.

Conclusion/Summary

: No known significant effects or critical hazards.

#### Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure
potassium nitrate				
	OECD 404 Skin	Rabbit	Non-irritating.	
ammonium chloride				
	Eyes	Rabbit	Irritant	
ammonium nitrate		·	·	
	OECD 405 Eyes	Rabbit	Irritant	

#### **Conclusion/Summary**

Skin	: No known significant effects or critical hazards.
Eyes	: Causes serious eye irritation.
Respiratory	: No known significant effects or critical hazards.

2

÷

#### **Sensitization**

Product/ingredient name	Method	Species	Result
ammonium nitrate			
	OECD 429	Mouse	Not sensitizing
	Skin		

#### Conclusion/Summary

Skin Respiratory No known significant effects or critical hazards. No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Method	Test detail	Result
ammonium nitrate			
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test Experiment: In vitro	Negative
	OECD 471	Bacteria	Negative
Date of issue : 02.04.2024			Page:8/14

Experiment: In vitro	

Conclusion/Summary

: No known significant effects or critical hazards.

**Carcinogenicity** 

Conclusion/Summary

: No known significant effects or critical hazards.

#### Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure
ammonium chloride				
	Oral	Rat	Fertility effects- Negative Developmental- Negative 1500 mg/kg bw/day	Not applicable.
ammonium nitrate				
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

#### Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

#### Aspiration hazard

No known significant effects or critical hazards.

Information on the likely	 Not available.
routes of exposure	

#### Potential acute health effects

Eye contact	: Causes	serious eye irritation.
Inhalation	: Exposure	e to decomposition products may cause a health
	hazard.	Serious effects may be delayed following exposure.
Skin contact	: No know	n significant effects or critical hazards.
Ingestion	: Irritating	to mouth, throat and stomach.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Date of issue : 02.04.2024

Page:9/14

<u>Short term exposure</u> Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects	1	Not available.
Potential delayed effects	1	Not available.

#### Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure
ammonium chloride				
	Sub-chronic NOAEL Oral	Rat	1.695 mg/kg	13 weeks 7 days per week
ammonium nitrate				
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m <sup>3</sup>	2 weeks 5 hours per day
Carcinogenicity	No known s	ignificant effec	ts or critical bazarde	

Mutagenicity :	No known significant effects or critical hazards.
wutagementy .	
Reproductive toxicity :	No known significant effects or critical hazards.
Other effects :	No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact :	Adverse symptoms may include the following: pain or irritation, watering, redness
Inhalation :	No specific data.
Skin contact :	No specific data.
Ingestion :	No specific data.
	No specific data.

#### Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
YaraMila Lunar	10747 mg/kg	N/A	N/A	N/A	N/A
ammonium chloride	1410 mg/kg	N/A	N/A	N/A	N/A
ammonium nitrate	2950 mg/kg	N/A	N/A	N/A	N/A

# Section 12. Ecological information

#### **Toxicity**

Product/ingredien	Method	Species	Result	Exposure
t name		-		-
potassium nitrate				
	OECD 203	Fish	> 100 mg/l	96 h
	Acute LC50			
	Fresh water			
	Acute EC50	Daphnia	490 mg/l	48 h
	Fresh water			
	Acute EC50	Algae	> 1.700 mg/l	240 h
	Marine water	-		
ammonium chloride				
	OECD 202	Daphnia	136,6 mg/l	48 h
	Acute EC50			
	Fresh water			
	Acute EC50	Algae	1.300 mg/l	5 d
	Fresh water			
ammonium nitrate				
	Acute LC50	Fish	447 mg/l	48 h
	Fresh water			
	Acute EC50	Daphnia	490 mg/l	48 h
	Fresh water		-	
	Acute EC50	Algae	1.700 mg/l	10 d
	Salt water	-		
Calcium sulphate				
	Acute EC50	Daphnia	> 100 mg/l	48 h
	Fresh water		-	

Conclusion/Summary

: No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary

: No known significant effects or critical hazards.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
ammonium chloride	-3,2	Not applicable.	low
Conclusion/Summary Mobility in soil	: No known s	gnificant effects or critica	al hazards.
Soil/water partition coefficient (KOC)	: Not available	9.	
Mobility Other adverse effects	Not available No known s	e. ignificant effects or critica	al hazards.

# Section 13. Disposal considerations

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority
Date of issue : 02.04.2024	Page:11/14

requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	Not applicable.	Not applicable.	Not applicable.
Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
Packing group	Not applicable.	Not applicable.	Not applicable.
Environmental hazards	No.	No.	No.

<u>14.6 Special precautions for</u> user	:		emises: Ensure that persons now what to do in the event of
Remark	:	decomposition according in the recommendations of	to self-sustaining exothermic to the S.1 trough test as defined on the Transport of Dangerous and Criteria, part III, section 38.
Transport in bulk according to IMO instruments		Proper shipping : name Remarks :	AMMONIUM NITRATE BASED FERTILIZER MHB <b>Solid bulk cargoes</b> Harmful to the marine environment with regard to MARPOL Annex V: No Material is hazardous only in bulk according to the IMSBC: Yes IMSBC shipping group: B

# Section 15. Regulatory information

#### Inventory list

Key to abbreviations

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Korea inventory: All components are listed or exempted. China inventory (IECSC): All components are listed or exempted.

Australia inventory (AIIC): All components are listed or exempted.

Taiwan Chemical Substances Inventory (TCSI): All components are listed or exempted.

United States inventory (TSCA 8b): All components are active or exempted.

EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: All components are listed or exempted.

# Section 16. Other information

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of
Dangerous Goods by Road ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
bw = Body weight
GHS = Globally Harmonized System of Classification and Labelling of
Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From
Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
RID = The Regulations concerning the International Carriage of Dangerous
Goods by Rail
SUSMP - Standard Uniform Schedule of Medicine and Poisons
SGG = Segregation Group
UN = United Nations

#### Procedure used to derive the classification

Classification		Justification
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A		Calculation method
Key data sources	EU REACH ECHA/IUCLID5 CSR. National Institute for Occupational Safety and Health, U.S Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances. Sphera Solutions Inc., 4777 Levy Street, St Laurent, Que HAR 2P9, Canada.	
<u>History</u>		
Date of printing	08.04	.2024
Date of issue/Date of revision	02.04	.2024
Date of previous issue	16.06	.2023
Version	4.1	
Date of issue : 02.04.2024		Page:13/14

Prepared by : Product Stewardship and Compliance (PSC). || Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.